

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
1	BRS	L1	54	"33"/\$.cccls. and (dipstick with oil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/04 19:17			
2	BRS	L2	88	"123"/\$.cccls. and (dipstick with oil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/04 19:23			
3	BRS	L3	98	"184"/\$.cccls. and (dipstick with oil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/04 19:23			
4	BRS	L4	57	3 not (2 or 1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/04 19:35			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
5	BRS	L5	5637	(cap or lid or spigot or cover) with (turn\$3 or rotat\$3) with (knob or tab or flange or extension or edge) with (lock\$3 or engag\$3 or (prevent adj2 axial))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/04 20:34			
6	BRS	L7	5	6 and dipstick	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/04 19:39			
7	BRS	L6	275	5 and engine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/04 19:39			
8	BRS	L8	217	5 and (((axial adj (movement))) or pull\$3) with prevent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/04 20:07			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
9	BRS	L9	148	5 with (housing or casing) with (receiv\$3 or hold\$3 or underneath or beneath)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/04 20:35			
10	BRS	L10	68	5 with (housing or casing) with (retain\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/04 20:15			
11	BRS	L11	68	5 same (bayonet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/04 20:16			
12	BRS	L12	64	(cap or lid or spigot or cover) with (turn\$3 or rotat\$3) with (ear) with (lock\$3 or engag\$3 or (prevent adj2 axial))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/04 20:22			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
13	BRS	L13	187	engine and ((casing or housing) with (ledge or flange or extension) with (cap or lid or cover or spigot) with (axial or pull\$3 or loose))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/04 20:31			
14	BRS	L14	2343	(cap or lid or spigot or cover) with (turn\$3 or rotat\$3) with (cam) with (lock\$3 or engag\$3 or (prevent adj2 axial))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/04 20:34			
15	BRS	L15	77	14 with (housing or casing) with (retain\$3 or receiv\$3 or hold\$3 or underneath or beneath)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/04 20:35			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
16	BRS	L16	175	dipstick with (housing or casing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/04 20:46			
17	BRS	L17	452	dipstick with (engine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/04 20:46			
18	BRS	L18	379	17 not 16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/04 20:47			